

SEPTEMBER 2011

COUNTRY RISK PROFILE: VANUATU

Vanuatu is expected to incur, on average, 48 million USD per year in losses due to earthquakes and tropical cyclones. In the next 50 years, Vanuatu has a 50% chance of experiencing a loss exceeding 330 million USD and casualties larger than 725 people, and a 10% chance of experiencing a loss exceeding 540 million USD and casualties larger than 2,150 people.

POPULATION, BUILDINGS, INFRASTRUCTURE AND CROPS EXPOSED TO NATURAL PERILS

An extensive study has been conducted to assemble a comprehensive inventory of population and properties at risk. Properties include residential, commercial, public and industrial buildings; infrastructure assets such as major ports, airports, power plants, bridges, and roads; and major crops, such as coconut, palm oil, taro, vanilla and many others.

TABLE 1: Summary of Exposure in Vanuatu (2010)								
General Information:								
Total Population:	246,000							
GDP Per Capita (USD):	2,960							
Total GDP (million USD):	729.0							
Asset Counts:								
Residential Buildings:	90,699							
Public Buildings:	3,280							
Commercial, Industrial, and Other Buildings:	6,767							
All Buildings:	100,746							
Hectares of Major Crops:	78,434							
Cost of Replacing Assets (million USD):	n n							
Buildings:	2,858							
Infrastructure:	420							
Crops:	25							
Total:	3,303							
Government Revenue and Expenditure:								
Total Government Revenue								
(Million USD):	173.7							
(% GDP):	23.8%							
Total Government Expenditure								
(Million USD):	178.8							
(% GDP):	24.5%							

¹ Data assembled from various references including WB, ADB, IMF and The Secretariat of the Pacific Community (SPC).

Table 1 summarizes population and the inventory of buildings, infrastructure assets, and major crops (or "exposure") at risk as well as key economic values for Vanuatu. It is estimated that the *replacement value of all the assets in Vanuatu is 3.3 billion USD*, of which about 86.5% represents buildings and 12.5% represents infrastructure.

Figures 1 and 2 illustrate the building exposure location and replacement cost distribution, respectively. The footprints of about 32,500 of the approximately 101,000 buildings shown in Figure 1 were digitized from high-resolution satellite imagery. More than 10,600 of such buildings, including about 7,500 near the nation's capital of Port Vila, were also field surveyed and photographed by a team of inspectors deployed for this purpose. Figure 3 displays the land cover/land use map




Figure 1: Building locations.




Figure 2: Building replacement cost density by village.




Figure 3: Land cover/land use map.

²The projected 2010 population was trended from the 2006 census using estimated growth rates provided by SPC.

that includes the location of major crops. The data utilized for these exhibits was assembled, organized and, when unavailable, produced in this study.

TROPICAL CYCLONE AND EARTHQUAKE HAZARDS IN VANUATU

The Pacific islands region is prone to natural hazards. Vanuatu is located south of the equator in an area known for the frequent occurrence of tropical cyclones with damaging winds, rains and storm surge between the months of October and May. In the South Pacific region from the equator to New Zealand in latitude and from Indonesia to east of Hawaii in longitude almost 1,000 tropical cyclones with hurricaneforce winds spawned in the last 60 years, with an average of about 16 tropical storms per year. Vanuatu was affected by devastating cyclones several times in the last few decades. For example, since 1990, Vanuatu has been subject to at least 20 damaging tropical cyclones. The most significant cyclones in recent years were Uma in 1987 and Ivy in 2004, each affecting nearly 50,000 people and causing destruction that amounted to losses in the tens to hundreds of million USD. Figure 4 shows the levels of wind speed due to tropical cyclones that have about a 40% chance to be exceeded at least once in the next 50 years (100-year mean return period). These wind speeds, if they were to occur, are capable of generating severe damage to buildings, infrastructure and crops with consequent large economic losses.

Vanuatu is situated along one segment of the Pacific "ring of fire," which aligns with the boundaries of the tectonic plates. These tectonic plate boundaries are extremely active seismic zones capable of generating large earthquakes and, in some cases, major tsunamis that can travel great distances. Vanuatu was affected by devastating earthquakes and tsunamis several times in the last few decades. In 1999, a magnitude 7.5 earthquake caused extensive damage to Pentecost Island, leaving more than 10 dead, over 100 injured, and millions of USD in losses. The earthquake generated a large tsunami, including a six meter wave that completely destroyed the village of Baie Martelli. In 2002, a magnitude 7.3 earthquake struck near the national capital of Port Vila, causing millions of USD in damage to buildings and infrastructure. Figure 5 shows that Vanuatu has a 40% chance in the next 50 years of experiencing, at least once, very strong to severe levels of ground shaking. These levels of shaking are expected to cause damage ranging from moderate to heavy to well-engineered buildings and even more significant damage to structures built with less stringent criteria.

RISK ANALYSIS RESULTS

TTo estimate the risk profile for Vanuatu posed by tropical cyclones and earthquakes, a simulation model of potential storms and earthquakes that may affect the country in the future was constructed. This model, based on historical data, simulates more than 400,000 tropical cyclones and





Figure 4: Maximum 1-minute sustained wind speed (in miles per hour) with a 40% chance to be exceeded at least once in the next 50 years (100 year mean return period).



Perceived Shaking	Not Felt	Weak	Light	Moderate	Strong	Very Strong	Severe	Violent	Extreme
Potential Damage	none	none	none	Very light	light	Moderate	Moderate/ Heavy	Heavy	Very Heavy
Peak ACC. (%g)	<0.17	0.17-1.4	1.4-4.0	4.0-9	9-17	17-32	32-61	61-114	>114
Peak Vel. (cm/s)	<0.12	0.12-1.1	1.1-3.4	3.4-8	8-16	16-31	31-59	59-115	>115
Instrumental Intensity	1	-	IV	٧	VI	VII	VIII	IX	X+

Scale based upon Wald. et al: 1999

Figure 5: Peak horizontal acceleration of the ground (Note: 1g is equal to the acceleration of gravity) that has about a 40% chance to be exceeded at least once in the next 50 years (100-year mean return period).

about 7.6 million earthquakes, grouped in 10,000 potential realizations of the next year's activity in the entire Pacific Basin. The catalog of simulated earthquakes also includes large magnitude events in South and North America, Japan and the Philippines, which could generate tsunamis that may affect Vanuatu's shores.

The country's earthquake and tropical cyclone risk profiles are derived from an estimation of the direct losses to buildings, infrastructure assets and major crops caused by all the simulated potential future events. The direct losses include the cost of repairing or replacing the damaged assets but do not include other losses such as contents losses, business interruption losses and losses to primary industries other than agriculture. The direct losses for tropical cyclones are caused by wind and flooding due to rain and storm surge, while for earthquakes they are caused by ground shaking and tsunami inundation. After assessing the cost of repairing or rebuilding the damaged assets due to the impact of all the simulated potential future events, it becomes possible to estimate in a probabilistic sense the severity of losses for future catastrophes.




Figure 6: Average annual loss due to tropical cyclones and earthquakes (ground shaking and tsunami) and its contribution from the three types of assets.

The simulations of possible next-year tropical cyclone and earthquake activity show that some years will see no storms or earthquakes affecting Vanuatu, while other years may see one or more events affecting the islands, similar to what has happened historically. The annual losses averaged over the many realizations of next-year activity are shown in Figure 6 separately for tropical cyclone and for earthquake and tsunami, while the contributions to the average annual loss from the different area councils are displayed in absolute terms in Figure 7 and normalized by the total asset values in each area council in Figure 8. Figure 8 shows how the relative risk varies by area council across the country.

The same risk assessment carried out for Vanuatu was also performed for the 14 other Pacific Island Countries. The values of the average annual loss of Vanuatu and of the other 14 countries are compared in Figure 9.

In addition to estimating average risk per calendar year, another way of assessing risk is to examine large and rather infrequent, but possible, future tropical cyclone and earthquake losses. Table 2 summarizes the risk profile for Vanuatu in terms of both direct losses and emergency losses.




Figure 7: Contribution from the different villages to the average annual loss for tropical cyclone and earthquake (ground shaking and tsunami).




Figure 8: Contribution from the different islands to the tropical cyclone and earthquake (ground shaking and tsunami) average annual loss divided by the replacement cost of the assets in each island.





Figure 9: Average annual loss for all the 15 Pacific Island Countries considered in this study.

The former are the expenditures needed to repair or replace the damaged assets while the latter are the expenditures that the Vanuatuan government may need to incur in the aftermath of a natural catastrophe to provide necessary relief and conduct activities such as debris removal, setting up shelters for homeless or supplying medicine and food. The emergency losses are estimated as a percentage of the direct losses.

Table 2 includes the losses that are expected to be exceeded, on average, once every 50, 100, and 250 years. For example, a tropical cyclone loss exceeding 312 million USD, which is equivalent to about 43% of Vanuatu's GDP, is to be expected, on average, once every 100 years. In Vanuatu, tropical cyclone losses are expected to be more frequent and severe than losses due to earthquake ground shaking and tsunami. The latter, however, remain potentially catastrophic events.

A more complete picture of the risk can be found in Figure 10, which shows the mean return period of direct losses in million USD generated by earthquake, tsunami and tropical cyclones combined. The 50-, 100-, and 250-year mean return period losses in Table 2 can also be determined from the curves in this figure. The direct losses are expressed both in absolute terms and as a percent of the national GDP.






Figure 10: Direct losses caused by either tropical storms or earthquakes that are expected to be equaled or exceeded, on average, once in the time period indicated. Losses represented in absolute terms and normalized by GDP.

In addition to causing damage and losses to the built environment and crops, future earthquakes and tropical cyclones will also have an impact on population. The same probabilistic procedure described above for losses has been adopted to estimate the likelihood that different levels of casualties (i.e., fatalities and injuries) may result from the future occurrence of these events. As shown in Table 2, our model estimates, for example, that there is a 40% chance in the next fifty years (100-year mean return period) that one or more events in a calendar year will cause casualties exceeding 900 people in Vanuatu. Events causing 2,000 or more casualties are also possible but have much lower likelihood of occurring.

Mean Return Period (years)	AAL	50	100	250
Risk	Profile: Tro	pical Cyclon	e	
Direct Losses				
(Million USD)	36.8	240.6	311.8	398.8
(% GDP)	5.0%	33.0%	54.7%	
Emergency Losses				
(Million USD)	8.5	55.3	71.7	91.7
(% of total government expenditures)	4.7%	30.9%	40.1%	51.3%
Casualties	41	260	333	415
Risk Prof	ile: Earthqu	ake and Tsu	ınami	
Direct Losses			100	0.00
(Million USD)	11.2	119.6	182.6	319.7
(% GDP)	1.5%	16.4%	25.0%	43.9%
Emergency Losses				
(Million USD)	0.0	19.2	29.3	51.7
(% of total government expenditures)	0.0%	10.8%	16.4%	28.9%
Casualties	45	471	877	1,627
Risk Profile: Tropic	cal Cyclone,	Earthquake	e, and Tsunar	ni
Direct Losses				
(Million USD)	47.9	284.9 370.1		478.5
(% GDP)	6.6%	39.1%	50.8%	65.6%
Emergency Losses			-0	
(Million USD)	10.3	61.4	77.9	97.5
(% of total government expenditures)	5.7%	34.3%	43.6%	54.5%
Casualties	86	577	901	1,675

¹Casualties include fatalities and injuries.

APPLICATIONS

The country risk profiles can support multiple applications that benefit both public and private stakeholders. In *urban and development planning*, planners can use the risk profile information to identify the best location of new development areas, evaluate how natural hazards may shape their development, and to assess whether the benefits of reducing the risk of natural events justify the costs of implementing the risk mitigating measures. In addition, the risk profiles can inform the development of *disaster risk financing and insurance solutions* and *ex ante budget planning* options to increase the financial resilience of the countries against natural disasters while maintaining

their fiscal balance. The earthquake and tropical cyclone hazard models also provide critical information for building codes in terms of country-specific seismic and wind loads that buildings should be designed for to ensure adequate shelter to the population. The risk information can also help identify existing vulnerable areas and communities located in or adjacent to these areas. This information can assist in supporting more targeted intervention in community-based disaster risk management and climate change adaptation actions. In the occurrence of a natural disaster the database also provides extremely useful baseline data and information for conducting timely and effective post-disaster damage assessments.







